


ICONIK 400

VINYL ROLLS




ICONIK 400


VINYL ROLLS



VALLEY Charcoal 5227114



VALLEY Mid Oak 5227116



VALLEY Grey 5227115



FRENCH OAK Cool Grey 5227110

ICONIK 400

VINYL ROLLS



FRENCH OAK Light Grey 5227111



FRENCH OAK Snow 5227112



FRENCH OAK Anthracite 5227102



FRENCH OAK Md Beige 5227113

ICONIK 400

VINYL ROLLS



HENNA White 5227120



HENNA Light Grey 5227119



GEA Dark Beige 5227055



ROCK Grey Black 5227121

ICONIK 400

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	31 Moderate
Binder content	ISO 11638	Type I
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	4 mm
Wear layer thickness	ISO 24340	0,25 mm
Total weight	ISO 23997	2050 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0005-DOP-2022-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,30$)
Slip resistance	DIN 51130	R10
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0,050 m ² •K/W
Technical Performance	Norm	Tarkett Value
Residual indentation	EN ISO 24343-1	$\leq 0,35$ mm
Impact sound reduction - ΔL_w	EN ISO 717-2	21 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor temperature maximum 27°C)
Dimensional stability	EN ISO 23999	Average measured value : ≤ 0.15 %
Sustainability performances	Norm	Tarkett Value
Recyclability through ReStart®		Recyclable
Recycled content		27 %
Carbon Footprint (Cradle-to-Gate, EPD Modules A1-A3)		6,18 kg CO ₂ eq /m ²
Total VOC Emissions	EN 16516	Gold (≤ 100 µg / m ³)
Formaldehyde emission		E1
Dimensions and designs		
Roll		Roll 4 x 24 m
Number of designs available		12



The above information is subject to modification for the benefit of further improvement (06/04/2023). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.

